

HIV Infection Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	6	5	11
		% within Sex	.3%	.8%	.4%
	2-4	Count	2		2
		% within Sex	.1%		.1%
	5-12	Count	2	2	4
		% within Sex	.1%	.3%	.2%
	13-19	Count	37	56	93
		% within Sex	1.9%	8.4%	3.6%
	20-24	Count	176	107	283
		% within Sex	9.2%	16.1%	11.0%
	25-29	Count	286	126	412
		% within Sex	14.9%	18.9%	15.9%
	30-39	Count	783	216	999
		% within Sex	40.8%	32.5%	38.7%
	40-49	Count	483	111	594
		% within Sex	25.2%	16.7%	23.0%
	50-59	Count	127	30	157
		% within Sex	6.6%	4.5%	6.1%
	60-69	Count	10	10	20
		% within Sex	.5%	1.5%	.8%
	70+	Count	5		5
		% within Sex	.3%		.2%
	Unknown	Count	2	2	4
		% within Sex	.1%	.3%	.2%
Total	Count	1919	665	2584	
	% within Sex	100.0%	100.0%	100.0%	

HIV Infection Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	846	142	988
		% within Sex	44.1%	21.4%	38.2%
	African American	Count	599	400	999
		% within Sex	31.2%	60.2%	38.7%
	Hispanic	Count	452	118	570
		% within Sex	23.6%	17.7%	22.1%
	Asian-Pacific Islander	Count	12	3	15
		% within Sex	.6%	.5%	.6%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.1%		.1%
	Not Specified	Count	8	2	10
		% within Sex	.4%	.3%	.4%
	Total		1919	665	2584
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1128		1128
		% within Sex	58.8%		43.7%
	IDU	Count	144	89	233
		% within Sex	7.5%	13.4%	9.0%
	M-M & IDU	Count	83		83
		% within Sex	4.3%		3.2%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.0%
	Heterosexual Contact	Count	113	322	435
		% within Sex	5.9%	48.4%	16.8%
	Transfusion	Count	4	5	9
		% within Sex	.2%	.8%	.3%
	Not Classified	Count	436	242	678
		% within Sex	22.7%	36.4%	26.2%
	Ped Parent at Risk	Count	8	6	14
		% within Sex	.4%	.9%	.5%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.2%	.1%
	Total		1919	665	2584
			100.0%	100.0%	100.0%

HIV Infection Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	2	986		988
		% within Adult-Ped	11.8%	38.5%		38.2%
	African American	Count	13	983	3	999
		% within Adult-Ped	76.5%	38.4%	75.0%	38.7%
	Hispanic	Count	2	567	1	570
		% within Adult-Ped	11.8%	22.1%	25.0%	22.1%
	Asian-Pacific Islander	Count		15		15
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		2		2
		% within Adult-Ped		.1%		.1%
	Not Specified	Count		10		10
		% within Adult-Ped		.4%		.4%
Total		Count	17	2563	4	2584
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	10	1907	2	1919
		% within Adult-Ped	58.8%	74.4%	50.0%	74.3%
	Female	Count	7	656	2	665
		% within Adult-Ped	41.2%	25.6%	50.0%	25.7%
Total		Count	17	2563	4	2584
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	14	6	20
		% within Sex	.5%	.5%	.5%
	1 (12-23 mo)	Count		2	2
		% within Sex		.2%	.0%
	2-4	Count	4		4
		% within Sex	.1%		.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.3%	.1%
	13-19	Count	68	128	196
		% within Sex	2.3%	11.4%	4.8%
	20-24	Count	345	196	541
		% within Sex	11.6%	17.5%	13.3%
	25-29	Count	481	195	676
		% within Sex	16.2%	17.4%	16.6%
	30-39	Count	1229	350	1579
		% within Sex	41.5%	31.3%	38.7%
	40-49	Count	610	163	773
		% within Sex	20.6%	14.6%	18.9%
	50-59	Count	167	63	230
		% within Sex	5.6%	5.6%	5.6%
	60-69	Count	34	10	44
		% within Sex	1.1%	.9%	1.1%
	70+	Count	8	3	11
		% within Sex	.3%	.3%	.3%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	2963	1119	4082
		% within Sex	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1187	243	1430
		% within Sex	40.1%	21.7%	35.0%
	African American	Count	1052	674	1726
		% within Sex	35.5%	60.2%	42.3%
	Hispanic	Count	683	195	878
		% within Sex	23.1%	17.4%	21.5%
	Asian-Pacific Islander	Count	18	3	21
		% within Sex	.6%	.3%	.5%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.2%		.2%
	Not Specified	Count	16	4	20
		% within Sex	.5%	.4%	.5%
	Total		2963	1119	4082
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1471		1471
		% within Sex	49.6%		36.0%
	IDU	Count	375	234	609
		% within Sex	12.7%	20.9%	14.9%
	M-M & IDU	Count	225		225
		% within Sex	7.6%		5.5%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.0%
	Heterosexual Contact	Count	164	431	595
		% within Sex	5.5%	38.5%	14.6%
	Transfusion	Count	5	8	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	701	435	1136
		% within Sex	23.7%	38.9%	27.8%
	Ped Parent at Risk	Count	17	9	26
		% within Sex	.6%	.8%	.6%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Total		2963	1119	4082
			100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	5	1425		1430
		% within Adult-Ped	16.1%	35.2%		35.0%
	African American	Count	14	1712		1726
		% within Adult-Ped	45.2%	42.3%		42.3%
	Hispanic	Count	12	865	1	878
		% within Adult-Ped	38.7%	21.4%	100.0%	21.5%
	Asian-Pacific Islander	Count		21		21
		% within Adult-Ped		.5%		.5%
	Am Indian-Alaskan	Count		7		7
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		20		20
		% within Adult-Ped		.5%		.5%
Total	Count	31	4050	1	4082	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	20	2942	1	2963
		% within Adult-Ped	64.5%	72.6%	100.0%	72.6%
	Female	Count	11	1108		1119
		% within Adult-Ped	35.5%	27.4%		27.4%
Total		Count	31	4050	1	4082
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	100	84	184
		% within Sex	1.0%	2.2%	1.4%
	1 (12-23 mo)	Count	18	26	44
		% within Sex	.2%	.7%	.3%
	2-4	Count	27	19	46
		% within Sex	.3%	.5%	.3%
	5-12	Count	37	21	58
		% within Sex	.4%	.5%	.4%
	13-19	Count	184	407	591
		% within Sex	1.9%	10.6%	4.4%
	20-24	Count	990	690	1680
		% within Sex	10.4%	18.0%	12.6%
	25-29	Count	1625	674	2299
		% within Sex	17.0%	17.6%	17.2%
	30-39	Count	3941	1142	5083
		% within Sex	41.3%	29.9%	38.0%
	40-49	Count	1985	546	2531
		% within Sex	20.8%	14.3%	18.9%
	50-59	Count	515	167	682
		% within Sex	5.4%	4.4%	5.1%
	60-69	Count	91	37	128
		% within Sex	1.0%	1.0%	1.0%
	70+	Count	23	7	30
		% within Sex	.2%	.2%	.2%
	Unknown	Count	11	3	14
		% within Sex	.1%	.1%	.1%
Total		Count	9547	3823	13370
		% within Sex	100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3973	853	4826
		% within Sex	41.6%	22.3%	36.1%
	African American	Count	3396	2301	5697
		% within Sex	35.6%	60.2%	42.6%
	Hispanic	Count	2059	641	2700
		% within Sex	21.6%	16.8%	20.2%
	Asian-Pacific Islander	Count	54	10	64
		% within Sex	.6%	.3%	.5%
	Am Indian-Alaskan	Count	21	4	25
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	44	14	58
		% within Sex	.5%	.4%	.4%
	Total		9547	3823	13370
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4901		4901
		% within Sex	51.3%		36.7%
	IDU	Count	1157	794	1951
		% within Sex	12.1%	20.8%	14.6%
	M-M & IDU	Count	788		788
		% within Sex	8.3%		5.9%
	Hemophiliac	Count	8	2	10
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	604	1571	2175
		% within Sex	6.3%	41.1%	16.3%
	Transfusion	Count	16	20	36
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	1891	1286	3177
		% within Sex	19.8%	33.6%	23.8%
	Ped Hemophiliac	Count	12	1	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	148	134	282
		% within Sex	1.6%	3.5%	2.1%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	21	12	33
		% within Sex	.2%	.3%	.2%
	Total		9547	3823	13370
			100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	72	4747	7	4826
		% within Adult-Ped	21.7%	36.4%	50.0%	36.1%
	African American	Count	188	5506	3	5697
		% within Adult-Ped	56.6%	42.3%	21.4%	42.6%
	Hispanic	Count	64	2632	4	2700
		% within Adult-Ped	19.3%	20.2%	28.6%	20.2%
	Asian-Pacific Islander	Count	1	63		64
		% within Adult-Ped	.3%	.5%		.5%
	Am Indian-Alaskan	Count		25		25
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	7	51		58
		% within Adult-Ped	2.1%	.4%		.4%
Total	Count	332	13024	14	13370	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	182	9354	11	9547
		% within Adult-Ped	54.8%	71.8%	78.6%	71.4%
	Female	Count	150	3670	3	3823
		% within Adult-Ped	45.2%	28.2%	21.4%	28.6%
Total		Count	332	13024	14	13370
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Living HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	93	84	177
		% within Sex	1.0%	2.2%	1.3%
	1 (12-23 mo)	Count	18	26	44
		% within Sex	.2%	.7%	.3%
	2-4	Count	27	18	45
		% within Sex	.3%	.5%	.3%
	5-12	Count	35	19	54
		% within Sex	.4%	.5%	.4%
	13-19	Count	184	406	590
		% within Sex	2.0%	10.7%	4.5%
	20-24	Count	986	688	1674
		% within Sex	10.5%	18.2%	12.7%
	25-29	Count	1617	671	2288
		% within Sex	17.2%	17.7%	17.4%
	30-39	Count	3892	1130	5022
		% within Sex	41.5%	29.9%	38.1%
	40-49	Count	1936	532	2468
		% within Sex	20.6%	14.1%	18.7%
	50-59	Count	483	162	645
		% within Sex	5.1%	4.3%	4.9%
	60-69	Count	84	36	120
		% within Sex	.9%	1.0%	.9%
	70+	Count	18	7	25
		% within Sex	.2%	.2%	.2%
	Unknown	Count	11	3	14
		% within Sex	.1%	.1%	.1%
Total		Count	9384	3782	13166
		% within Sex	100.0%	100.0%	100.0%

Living HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	4	6	10
		% within Sex	.0%	.2%	.1%
	1 (12-23 mo)	Count	13	4	17
		% within Sex	.1%	.1%	.1%
	2-4	Count	30	25	55
		% within Sex	.3%	.7%	.4%
	5-12	Count	91	92	183
		% within Sex	1.0%	2.4%	1.4%
	13-19	Count	63	144	207
		% within Sex	.7%	3.8%	1.6%
	20-24	Count	573	522	1095
		% within Sex	6.1%	13.8%	8.3%
	25-29	Count	1131	663	1794
		% within Sex	12.1%	17.5%	13.6%
	30-39	Count	3813	1298	5111
		% within Sex	40.6%	34.3%	38.8%
	40-49	Count	2726	731	3457
		% within Sex	29.0%	19.3%	26.3%
	50-59	Count	774	231	1005
		% within Sex	8.2%	6.1%	7.6%
	60-69	Count	135	56	191
		% within Sex	1.4%	1.5%	1.5%
	70+	Count	28	8	36
		% within Sex	.3%	.2%	.3%
	Unknown	Count	3	2	5
		% within Sex	.0%	.1%	.0%
Total		Count	9384	3782	13166
		% within Sex	100.0%	100.0%	100.0%

Living HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3909	842	4751
		% within Sex	41.7%	22.3%	36.1%
	African American	Count	3329	2276	5605
		% within Sex	35.5%	60.2%	42.6%
	Hispanic	Count	2029	636	2665
		% within Sex	21.6%	16.8%	20.2%
	Asian-Pacific Islander	Count	53	10	63
		% within Sex	.6%	.3%	.5%
	Am Indian-Alaskan	Count	20	4	24
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	44	14	58
		% within Sex	.5%	.4%	.4%
	Total		9384	3782	13166
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4847		4847
		% within Sex	51.7%		36.8%
	IDU	Count	1127	782	1909
		% within Sex	12.0%	20.7%	14.5%
	M-M & IDU	Count	775		775
		% within Sex	8.3%		5.9%
	Hemophiliac	Count	8	2	10
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	595	1563	2158
		% within Sex	6.3%	41.3%	16.4%
	Transfusion	Count	16	20	36
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	1843	1268	3111
		% within Sex	19.6%	33.5%	23.6%
	Ped Hemophiliac	Count	11	1	12
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	141	131	272
		% within Sex	1.5%	3.5%	2.1%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	20	12	32
		% within Sex	.2%	.3%	.2%
	Total		9384	3782	13166
			100.0%	100.0%	100.0%

Living HIV Infection Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	67	4677	7	4751
		% within Adult-Ped	20.9%	36.4%	50.0%	36.1%
	African American	Count	181	5421	3	5605
		% within Adult-Ped	56.6%	42.2%	21.4%	42.6%
	Hispanic	Count	64	2597	4	2665
		% within Adult-Ped	20.0%	20.2%	28.6%	20.2%
	Asian-Pacific Islander	Count	1	62		63
		% within Adult-Ped	.3%	.5%		.5%
	Am Indian-Alaskan	Count		24		24
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	7	51		58
		% within Adult-Ped	2.2%	.4%		.4%
Total		Count	320	12832	14	13166
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	173	9200	11	9384
		% within Adult-Ped	54.1%	71.7%	78.6%	71.3%
	Female	Count	147	3632	3	3782
		% within Adult-Ped	45.9%	28.3%	21.4%	28.7%
Total		Count	320	12832	14	13166
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

AIDS Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.3%	.1%
	13-19	Count	7	3	10
		% within Sex	.6%	1.0%	.7%
	20-24	Count	40	24	64
		% within Sex	3.5%	7.9%	4.5%
	25-29	Count	116	54	170
		% within Sex	10.3%	17.9%	11.9%
	30-39	Count	467	104	571
		% within Sex	41.4%	34.4%	39.9%
	40-49	Count	333	85	418
		% within Sex	29.5%	28.1%	29.2%
	50-59	Count	123	24	147
		% within Sex	10.9%	7.9%	10.3%
	60-69	Count	32	7	39
		% within Sex	2.8%	2.3%	2.7%
	70+	Count	6		6
		% within Sex	.5%		.4%
	Unknown	Count	1		1
		% within Sex	.1%		.1%
Total		Count	1128	302	1430
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	424	51	475
		% within Sex	37.6%	16.9%	33.2%
	African American	Count	372	185	557
		% within Sex	33.0%	61.3%	39.0%
	Hispanic	Count	323	66	389
		% within Sex	28.6%	21.9%	27.2%
	Asian-Pacific Islander	Count	8		8
		% within Sex	.7%		.6%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
Total	Count	1128	302	1430	
	% within Sex	100.0%	100.0%	100.0%	

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	586		586
		% within Sex	52.0%		41.0%
	IDU	Count	135	50	185
		% within Sex	12.0%	16.6%	12.9%
	M-M & IDU	Count	45		45
		% within Sex	4.0%		3.1%
	Hemophiliac	Count	2		2
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	64	121	185
		% within Sex	5.7%	40.1%	12.9%
	Transfusion	Count	5	3	8
		% within Sex	.4%	1.0%	.6%
	Not Classified	Count	288	126	414
		% within Sex	25.5%	41.7%	29.0%
Ped Parent at Risk	Count	2	1	3	
	% within Sex	.2%	.3%	.2%	
Ped Transfusion	Count		1	1	
	% within Sex		.3%	.1%	
Ped Other-Undet	Count	1		1	
	% within Sex	.1%		.1%	
Total		Count	1128	302	1430
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported 1/1/02 - 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	473	1	475
		% within Adult-Ped	25.0%	33.2%	100.0%	33.2%
	African American	Count	1	556		557
		% within Adult-Ped	25.0%	39.0%		39.0%
	Hispanic	Count	1	388		389
		% within Adult-Ped	25.0%	27.2%		27.2%
	Asian-Pacific Islander	Count	1	7		8
		% within Adult-Ped	25.0%	.5%		.6%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.1%		.1%
Total		Count	4	1425	1	1430
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	3	1124	1	1128
		% within Adult-Ped	75.0%	78.9%	100.0%	78.9%
	Female	Count	1	301		302
		% within Adult-Ped	25.0%	21.1%		21.1%
Total		Count	4	1425	1	1430
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

AIDS Cases Reported during 2001
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.0%		.0%
	2-4	Count	1		1
		% within Sex	.0%		.0%
	5-12	Count	1		1
		% within Sex	.0%		.0%
	13-19	Count	8	8	16
		% within Sex	.3%	1.3%	.5%
	20-24	Count	92	55	147
		% within Sex	4.0%	8.6%	5.0%
	25-29	Count	226	95	321
		% within Sex	9.8%	14.9%	10.9%
	30-39	Count	969	256	1225
		% within Sex	42.0%	40.1%	41.6%
	40-49	Count	726	149	875
		% within Sex	31.4%	23.4%	29.7%
	50-59	Count	218	54	272
		% within Sex	9.4%	8.5%	9.2%
	60-69	Count	51	16	67
		% within Sex	2.2%	2.5%	2.3%
	70+	Count	15	5	20
		% within Sex	.6%	.8%	.7%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total	Count	2309	638	2947	
	% within Sex	100.0%	100.0%	100.0%	

AIDS Cases Reported during 2001
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	845	115	960
		% within Sex	36.6%	18.0%	32.6%
	African American	Count	753	389	1142
		% within Sex	32.6%	61.0%	38.8%
	Hispanic	Count	691	126	817
		% within Sex	29.9%	19.7%	27.7%
	Asian-Pacific Islander	Count	17	4	21
		% within Sex	.7%	.6%	.7%
	Am Indian-Alaskan	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	Not Specified	Count	2	2	4
		% within Sex	.1%	.3%	.1%
	Total		2309	638	2947
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1120		1120
		% within Sex	48.5%		38.0%
	IDU	Count	294	127	421
		% within Sex	12.7%	19.9%	14.3%
	M-M & IDU	Count	161		161
		% within Sex	7.0%		5.5%
	Hemophiliac	Count	4		4
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	157	260	417
		% within Sex	6.8%	40.8%	14.1%
	Transfusion	Count	10	8	18
		% within Sex	.4%	1.3%	.6%
	Not Classified	Count	557	242	799
		% within Sex	24.1%	37.9%	27.1%
	Ped Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	3		3
		% within Sex	.1%		.1%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.0%
Total	Count	2309	638	2947	
	% within Sex	100.0%	100.0%	100.0%	

AIDS Cases Reported during 2001
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count		959	1	960
		% within Adult-Ped		32.6%	100.0%	32.6%
	African American	Count	2	1140		1142
		% within Adult-Ped	66.7%	38.7%		38.8%
	Hispanic	Count	1	816		817
		% within Adult-Ped	33.3%	27.7%		27.7%
	Asian-Pacific Islander	Count		21		21
		% within Adult-Ped		.7%		.7%
	Am Indian-Alaskan	Count		3		3
		% within Adult-Ped		.1%		.1%
	Not Specified	Count		4		4
		% within Adult-Ped		.1%		.1%
Total		Count	3	2943	1	2947
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	3	2305	1	2309
		% within Adult-Ped	100.0%	78.3%	100.0%	78.4%
	Female	Count		638		638
		% within Adult-Ped		21.7%		21.6%
Total		Count	3	2943	1	2947
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Cumulative AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	75	70	145
		% within Sex	.1%	1.0%	.2%
	1 (12-23 mo)	Count	39	26	65
		% within Sex	.1%	.4%	.1%
	2-4	Count	37	49	86
		% within Sex	.1%	.7%	.1%
	5-12	Count	54	37	91
		% within Sex	.1%	.5%	.2%
	13-19	Count	243	171	414
		% within Sex	.5%	2.4%	.7%
	20-24	Count	2190	666	2856
		% within Sex	4.3%	9.4%	4.9%
	25-29	Count	8236	1262	9498
		% within Sex	16.0%	17.7%	16.2%
	30-39	Count	24318	2755	27073
		% within Sex	47.3%	38.7%	46.3%
	40-49	Count	11789	1401	13190
		% within Sex	22.9%	19.7%	22.5%
	50-59	Count	3293	451	3744
		% within Sex	6.4%	6.3%	6.4%
	60-69	Count	933	164	1097
		% within Sex	1.8%	2.3%	1.9%
	70+	Count	192	60	252
		% within Sex	.4%	.8%	.4%
	Unknown	Count	2		2
		% within Sex	.0%		.0%
Total		Count	51401	7112	58513
		% within Sex	100.0%	100.0%	100.0%

Cumulative AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	28008	1933	29941
		% within Sex	54.5%	27.2%	51.2%
	African American	Count	12976	3913	16889
		% within Sex	25.2%	55.0%	28.9%
	Hispanic	Count	10152	1234	11386
		% within Sex	19.8%	17.4%	19.5%
	Asian-Pacific Islander	Count	173	24	197
		% within Sex	.3%	.3%	.3%
	Am Indian-Alaskan	Count	75	6	81
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	17	2	19
		% within Sex	.0%	.0%	.0%
	Total	Count	51401	7112	58513
		% within Sex	100.0%	100.0%	100.0%

Cumulative AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	33653		33653
		% within Sex	65.5%		57.5%
	IDU	Count	5792	2407	8199
		% within Sex	11.3%	33.8%	14.0%
	M-M & IDU	Count	5277		5277
		% within Sex	10.3%		9.0%
	Hemophiliac	Count	245	9	254
		% within Sex	.5%	.1%	.4%
	Heterosexual Contact	Count	2054	2963	5017
		% within Sex	4.0%	41.7%	8.6%
	Transfusion	Count	429	248	677
		% within Sex	.8%	3.5%	1.2%
	Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Not Classified	Count	3709	1284	4993
		% within Sex	7.2%	18.1%	8.5%
	Ped Hemophiliac	Count	54		54
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	162	169	331
		% within Sex	.3%	2.4%	.6%
	Ped Transfusion	Count	23	20	43
		% within Sex	.0%	.3%	.1%
	Ped Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	3	8	11
		% within Sex	.0%	.1%	.0%
Total	Count	51401	7112	58513	
	% within Sex	100.0%	100.0%	100.0%	

Cumulative AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	91	29848	2	29941
		% within Adult-Ped	23.5%	51.4%	100.0%	51.2%
	African American	Count	190	16699		16889
		% within Adult-Ped	49.1%	28.7%		28.9%
	Hispanic	Count	104	11282		11386
		% within Adult-Ped	26.9%	19.4%		19.5%
	Asian-Pacific Islander	Count	2	195		197
		% within Adult-Ped	.5%	.3%		.3%
	Am Indian-Alaskan	Count		81		81
		% within Adult-Ped		.1%		.1%
	Not Specified	Count		19		19
		% within Adult-Ped		.0%		.0%
Total	Count	387	58124	2	58513	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	205	51194	2	51401
		% within Adult-Ped	53.0%	88.1%	100.0%	87.8%
	Female	Count	182	6930		7112
		% within Adult-Ped	47.0%	11.9%		12.2%
Total		Count	387	58124	2	58513
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Living AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	22	28	50
		% within Sex	.1%	.7%	.2%
	1 (12-23 mo)	Count	14	15	29
		% within Sex	.1%	.4%	.1%
	2-4	Count	19	23	42
		% within Sex	.1%	.5%	.2%
	5-12	Count	19	21	40
		% within Sex	.1%	.5%	.2%
	13-19	Count	133	115	248
		% within Sex	.6%	2.7%	1.0%
	20-24	Count	943	423	1366
		% within Sex	4.4%	10.0%	5.3%
	25-29	Count	3127	787	3914
		% within Sex	14.5%	18.5%	15.2%
	30-39	Count	10432	1688	12120
		% within Sex	48.3%	39.8%	46.9%
	40-49	Count	5199	830	6029
		% within Sex	24.1%	19.6%	23.3%
	50-59	Count	1350	243	1593
		% within Sex	6.3%	5.7%	6.2%
	60-69	Count	276	55	331
		% within Sex	1.3%	1.3%	1.3%
	70+	Count	42	16	58
		% within Sex	.2%	.4%	.2%
	Unknown	Count	2		2
		% within Sex	.0%		.0%
Total		Count	21578	4244	25822
		% within Sex	100.0%	100.0%	100.0%

Living AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	5-12	Count	49	53	102
		% within Sex	.2%	1.2%	.4%
	13-19	Count	24	48	72
		% within Sex	.1%	1.1%	.3%
	20-24	Count	184	128	312
		% within Sex	.9%	3.0%	1.2%
	25-29	Count	772	451	1223
		% within Sex	3.6%	10.6%	4.7%
	30-39	Count	7624	1616	9240
		% within Sex	35.3%	38.1%	35.8%
	40-49	Count	9019	1355	10374
		% within Sex	41.8%	31.9%	40.2%
	50-59	Count	3068	444	3512
		% within Sex	14.2%	10.5%	13.6%
	60-69	Count	695	109	804
		% within Sex	3.2%	2.6%	3.1%
	70+	Count	140	37	177
		% within Sex	.6%	.9%	.7%
	Unknown	Count	2		2
		% within Sex	.0%		.0%
Total	Count	21578	4244	25822	
	% within Sex	100.0%	100.0%	100.0%	

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10051	1052	11103
		% within Sex	46.6%	24.8%	43.0%
	African American	Count	6259	2384	8643
		% within Sex	29.0%	56.2%	33.5%
	Hispanic	Count	5118	784	5902
		% within Sex	23.7%	18.5%	22.9%
	Asian-Pacific Islander	Count	98	17	115
		% within Sex	.5%	.4%	.4%
	Am Indian-Alaskan	Count	42	5	47
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	10	2	12
		% within Sex	.0%	.0%	.0%
Total	Count	21578	4244	25822	
	% within Sex	100.0%	100.0%	100.0%	

Living AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	13054		13054
		% within Sex	60.5%		50.6%
	IDU	Count	2717	1327	4044
		% within Sex	12.6%	31.3%	15.7%
	M-M & IDU	Count	2167		2167
		% within Sex	10.0%		8.4%
	Hemophiliac	Count	67	4	71
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1211	1821	3032
		% within Sex	5.6%	42.9%	11.7%
	Transfusion	Count	92	66	158
		% within Sex	.4%	1.6%	.6%
	Not Classified	Count	2174	929	3103
		% within Sex	10.1%	21.9%	12.0%
	Ped Hemophiliac	Count	24		24
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	63	86	149
		% within Sex	.3%	2.0%	.6%
	Ped Transfusion	Count	8	3	11
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	1	7	8
		% within Sex	.0%	.2%	.0%
Total		Count	21578	4244	25822
		% within Sex	100.0%	100.0%	100.0%

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	33	11068	2	11103
		% within Adult-Ped	20.5%	43.1%	100.0%	43.0%
	African American	Count	79	8564		8643
		% within Adult-Ped	49.1%	33.4%		33.5%
	Hispanic	Count	49	5853		5902
		% within Adult-Ped	30.4%	22.8%		22.9%
	Asian-Pacific Islander	Count		115		115
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		47		47
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		12		12
		% within Adult-Ped		.0%		.0%
Total		Count	161	25659	2	25822
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Living AIDS Cases through 6/30/02
(from the 07/19/02 HARS data set)

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	74	21502	2	21578
		% within Adult-Ped	46.0%	83.8%	100.0%	83.6%
	Female	Count	87	4157		4244
		% within Adult-Ped	54.0%	16.2%		16.4%
Total		Count	161	25659	2	25822
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 6/30/02
(Living HIV/AIDS Cases - combined - from 07/19/02 HARS data)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	115	112	227
		% within Sex	.4%	1.4%	.6%
	1 (12-23 mo)	Count	32	41	73
		% within Sex	.1%	.5%	.2%
	2-4	Count	46	41	87
		% within Sex	.1%	.5%	.2%
	5-12	Count	54	40	94
		% within Sex	.2%	.5%	.2%
	13-19	Count	317	521	838
		% within Sex	1.0%	6.5%	2.1%
	20-24	Count	1929	1111	3040
		% within Sex	6.2%	13.8%	7.8%
	25-29	Count	4744	1458	6202
		% within Sex	15.3%	18.2%	15.9%
	30-39	Count	14324	2818	17142
		% within Sex	46.3%	35.1%	44.0%
	40-49	Count	7135	1362	8497
		% within Sex	23.0%	17.0%	21.8%
	50-59	Count	1833	405	2238
		% within Sex	5.9%	5.0%	5.7%
	60-69	Count	360	91	451
		% within Sex	1.2%	1.1%	1.2%
	70+	Count	60	23	83
		% within Sex	.2%	.3%	.2%
	Unknown	Count	13	3	16
		% within Sex	.0%	.0%	.0%
Total		Count	30962	8026	38988
		% within Sex	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 6/30/02
(Living HIV/AIDS Cases - combined - from 07/19/02 HARS data)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	4	6	10
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	13	4	17
		% within Sex	.0%	.0%	.0%
	2-4	Count	31	28	59
		% within Sex	.1%	.3%	.2%
	5-12	Count	140	145	285
		% within Sex	.5%	1.8%	.7%
	13-19	Count	87	192	279
		% within Sex	.3%	2.4%	.7%
	20-24	Count	757	650	1407
		% within Sex	2.4%	8.1%	3.6%
	25-29	Count	1903	1114	3017
		% within Sex	6.1%	13.9%	7.7%
	30-39	Count	11437	2914	14351
		% within Sex	36.9%	36.3%	36.8%
	40-49	Count	11745	2086	13831
		% within Sex	37.9%	26.0%	35.5%
	50-59	Count	3842	675	4517
		% within Sex	12.4%	8.4%	11.6%
	60-69	Count	830	165	995
		% within Sex	2.7%	2.1%	2.6%
	70+	Count	168	45	213
		% within Sex	.5%	.6%	.5%
	Unknown	Count	5	2	7
		% within Sex	.0%	.0%	.0%
Total		Count	30962	8026	38988
		% within Sex	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 6/30/02
(Living HIV/AIDS Cases - combined - from 07/19/02 HARS data)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13960	1894	15854
		% within Sex	45.1%	23.6%	40.7%
	African American	Count	9588	4660	14248
		% within Sex	31.0%	58.1%	36.5%
	Hispanic	Count	7147	1420	8567
		% within Sex	23.1%	17.7%	22.0%
	Asian-Pacific Islander	Count	151	27	178
		% within Sex	.5%	.3%	.5%
	Am Indian-Alaskan	Count	62	9	71
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	54	16	70
		% within Sex	.2%	.2%	.2%
	Total		30962	8026	38988
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	17901		17901
		% within Sex	57.8%		45.9%
	IDU	Count	3844	2109	5953
		% within Sex	12.4%	26.3%	15.3%
	M-M & IDU	Count	2942		2942
		% within Sex	9.5%		7.5%
	Hemophiliac	Count	75	6	81
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	1806	3384	5190
		% within Sex	5.8%	42.2%	13.3%
	Transfusion	Count	108	86	194
		% within Sex	.3%	1.1%	.5%
	Not Classified	Count	4017	2197	6214
		% within Sex	13.0%	27.4%	15.9%
	Ped Hemophiliac	Count	35	1	36
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	204	217	421
		% within Sex	.7%	2.7%	1.1%
	Ped Transfusion	Count	9	6	15
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	21	19	40
		% within Sex	.1%	.2%	.1%
	Total		30962	8026	38988
			100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 6/30/02
(Living HIV/AIDS Cases - combined - from 07/19/02 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	100	15745	9	15854
		% within Adult-Ped	20.8%	40.9%	56.3%	40.7%
	African American	Count	260	13985	3	14248
		% within Adult-Ped	54.1%	36.3%	18.8%	36.5%
	Hispanic	Count	113	8450	4	8567
		% within Adult-Ped	23.5%	22.0%	25.0%	22.0%
	Asian-Pacific Islander	Count	1	177		178
		% within Adult-Ped	.2%	.5%		.5%
	Am Indian-Alaskan	Count		71		71
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	7	63		70
		% within Adult-Ped	1.5%	.2%		.2%
Total	Count	481	38491	16	38988	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	247	30702	13	30962
		% within Adult-Ped	51.4%	79.8%	81.3%	79.4%
	Female	Count	234	7789	3	8026
		% within Adult-Ped	48.6%	20.2%	18.8%	20.6%
Total		Count	481	38491	16	38988
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%